

EXCEL

SPRING & STAMPING, INC.

Excel Spring & Stamping
1080 Industrial Dr.
Bensenville, IL 60106-1215

Ph: 630-595-8585 Fax: 630-595-0029

Quotation

Number: 62028

Date: 10-Nov-16

To

Mike Gentry
TX USA

Quote
To

Mike Gentry
TX USA

Ph:

Fax:

Ph:

Fax:

Terms		Ship Via		Salesperson
1/2% 10 Net 30				
Quantity	Description	Unit Price	Amount	
	In reply to your inquiry, we are pleased to quote as follows: Part: S-100-200-200-9 Rev: 4 *Tremelo Spring			
2		\$40.00000 / each	\$80.00	
100		\$15.00000 / each	\$1,500.00	
200		\$11.00000 / each	\$2,200.00	
	Material: .022+- .001 thick C1095 Annealed Spring Steel Heat Treat: Austemper to RC 48-52 Finish: Zinc Plate & Bake & Trivalent Black Chromate Prices quoted are valid for 30 days. Any questions or comments regarding this quote can be directed to: Mary-Kate Karkowski Phone: 630-595-8585 x119 Email: mary-kate@excelspring.com Form F120			

EXCEL

SPRING & STAMPING, INC.

Excel Spring & Stamping
1080 Industrial Dr.
Bensenville, IL 60106-1215

Ph: 630-595-8585 Fax: 630-595-0029

Quotation

Number: 62029

Date: 10-Nov-16

To

Mike Gentry
TX USA

Quote
To

Mike Gentry
TX USA


Ph:

Fax:

Ph:

Fax:

Terms		Ship Via		Salesperson
1/2% 10 Net 30				
Quantity	Description	Unit Price	Amount	
	In reply to your inquiry, we are pleased to quote as follows: Part: S-100-200-200-10 Rev: 3 *Tremelo Spring			
2		\$40.00000 / each	\$80.00	
100		\$15.00000 / each	\$1,500.00	
200		\$11.00000 / each	\$2,200.00	
	Material: .024+- .001 thick C1095 Annealed Spring Steel Heat Treat: Austemper to RC 50-54 Finish: Zinc Plate & Bake & Trivalent Black Chromate Prices quoted are valid for 30 days. Any questions or comments regarding this quote can be directed to: Mary-Kate Karkowski Phone: 630-595-8585 x119 Email: mary-kate@excelspring.com Form F120			



10/21/10


NOTES:

HEAT TREAT TO RC 48/52
FINISH: ZINC & BAKE & TRIVALENT
BLACK CHROMATE

PRINT APPROVED BY: _____
TITLE: _____
DATE: _____

REV.	DATE	BY	DESCRIPTION OF REVISION
4	04/29/08	JB	0.330/0.315 WAS 0.310 ± 0.020
3	04/04/08	JB	0.310 ± 0.020 WAS 0.300 ± 0.030
2	03/07/08	JB	REDESIGN
1	11/08/07	JB	ADDED TOLERANCE 0.280 ± 0.030

TOLERANCE (UNLESS OTHERWISE SPECIFIED)					CUSTOMER: U.S.MUSIC CORP.	
DEC.	IN	MM			DWG. NO:	S-100-200-200-9
1PL±			DES. BY:	DATE:	PART NAME:	SCALE:
2PL±			DRAWN BY:	DATE:	FLAT SPRING	1:1
3PL±	0.010		CHECKED BY:	DATE:	MATERIAL:	
FRACT. ±			APPROVED BY:	DATE:	.022 THICK C1095	
ANGLE ±			ANNEALED SPRING STEEL			
*THIS DOCUMENT IS AND CONTAINS CONFIDENTIAL INFORMATION AND CAN NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION FROM EXCEL SPRING & STAMPING, INC *						



05/21/10

NOTES:

HEAT TREAT TO RC 50-54
FINISH: ZINC & BAKE & TRIVALENT
BLACK CHROMATE

PRINT APPROVED BY: _____
TITLE: _____
DATE: _____

REV.	DATE	BY	DESCRIPTION OF REVISION
3	08/04/08	JB	HEAT TREAT TO RC 50-54, WAS 48-52
2	06/20/08	JB	REDESIGNED
1	11/08/07	JB	RELEASE FOR PRODUCTION

TOLERANCE (UNLESS OTHERWISE SPECIFIED)					CUSTOMER: U.S. MUSIC CORP.	
DEC.	IN	MM			DWG. NO:	S-100-200-200-10
1PL±			DES. BY:	DATE:	PART NAME:	SCALE:
2PL±			DRAWN BY:	DATE:	FLAT SPRING	
3PL±	0.010		CHECKED BY:	DATE:	MATERIAL:	
FRACT. ±			APPROVED BY:	DATE:	.024 THICK C1095	
ANGLE ±			ANNEALED SPRING STEEL			
THIS DOCUMENT IS AND CONTAINS CONFIDENTIAL INFORMATION AND CAN NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION FROM EXCEL SPRING & STAMPING, INC.						